

"Collection and Identification of Fission Products of Foreign Origin"
by Peter King and N. Friedman, ca. 0000. President's Secretary's
File, Truman Papers.

~~TOP SECRET~~

This document consists of 12 pages
No. 7 of 14 Copies, Series A

PART I

COLLECTION AND IDENTIFICATION OF FISSION
PRODUCTS OF FOREIGN ORIGIN

Prepared by

Peter King and N. Friedman

~~DECLASSIFIED~~
E. O. 11652, Sec. 1(E) and 5(D) or (E)
OSD letter, April 12, 1974

THE DIVISION OF CLASSIFICATION, U.S. ENERGY
RESEARCH AND DEVELOPMENT ADMINISTRATION, HAS
DETERMINED THAT THIS DOCUMENT CONTAINS NO
RESTRICTED DATA OR FORMERLY RESTRICTED DATA.
ERDA HAS NO OBJECTION TO ITS DECLASSIFICATION.

OK Hartwork
REVIEWED BY

10/6/75
page
DECLASSIFIED by authority of
PROJECT AIT 76-23
Initials: 0-12 547-7A

~~TOP SECRET~~

~~RESTRICTED DATA~~

This document contains restricted data as defined
in the Atomic Energy Act of 1946. Its transmittal
or the disclosure of its contents in any manner
to an unauthorized person is prohibited.

Page 2 of 12 Pages
Copy 1 of 14 Copies

B File

INTRODUCTION

Positive radioactive evidence of a recent explosion of an A-bomb has been accumulated by NRL fission product detection stations at Kodiak, ^{Alaska} and in Washington, D.C. during the period from 9 September to 20 September. The date of fission, deduced from activity ratios of fission isotopes is probably not earlier than 24 August. Extremely hot samples extracted from the fall-out of fission products at Kodiak, have yielded tens of thousands of counts per minute of the major fission product isotopes. This report is a brief account of the methods of detection and the fission activity measurements completed to date. More detailed reports are now being written.

Filter Paper Detection at NRL

Several ground filter paper systems for the collection of atmospheric radioactivity have been in operation at NRL since the time of the Sandstone tests. For 15 months, up to the present time, continuous records were made of the apparent half life of the filtered radioactivity. In the absence of any fission product activities, the filter collections consisted mainly of RaB and ThB normally present in the air. The short lived RaB (30 min.) disappears within a few hours, leaving an apparent half life very close to the 10.6 hours of ThB.

DECLASSIFIED
E. O. 11652, Sec. 1(E) and 1(D) or (F)
OSI form April 12, 1974

~~TOP SECRET~~
~~RESTRICTED DATA~~

This document contains restricted data as defined in the Atomic Energy Act of 1946. Its transmission or the disclosure of its contents in any manner to an unauthorized person is prohibited.

Page 7 of 12 Pages
Copy 2 of 17 Copies

B File

~~TOP SECRET~~

This document consists of 12 pages
No. 7 of 14 Copies, Series A

When fission products from the Sandstone test fell out in the Washington area, the NRL filter unit detected their presence by indicating an apparent half life of 20 hours on the filter paper, rather than the normal 10.6 hrs. of ThB. From June of 1948 until 9 September 1949, all filter collections at NRL yielded apparent half lives less than 12 hours (apparent half life at 10 hours after removal from collector). Beginning on 9 September, the apparent half life of the filtered radioactivity rose rapidly to a peak of 50 hours on 16 September. The activity has fallen since then but has not yet returned to normal. The unprecedented rise on 9 September was immediately suspected to be the result of fission activity and this was soon verified by chemical extraction and physical identification of fission products such as Ruthenium, Barium and Iodine. Figure 1 illustrates the course of the filter paper activities before and during the fall-out period.

Gamma-Ray Detection at Kodiak

The gamma ray ground stations of the 1948 Fitzwilliam experiment were almost all disbanded shortly after the Sandstone tests. The N.R.L. considered it desirable, however, to continue the operation of a few scattered stations for background information. Stations have been operated continuously, since the Summer of 1948 at Kodiak, Manila, Honolulu, and Washington, D.C. On 9 September a deviation from normal activity was registered on the gamma ray detector at Kodiak. It reached a maximum on


Page 7 of 12 Pages
Copy 2 of 14 Copies

B File

~~TOP SECRET~~
RECLASSIFIED
E. O. 11652, Sec. (b) (1) and (b) (7) (D)

APPARENT T_{1/2} AT 10HRS. AFTER COLLECTION

CLASSIFIED
2, Sec. 3(E) and 5(D) or (E)
Declassify on: April 12, 1974



DECLASSIFIED by authority of
PROTECT ACT 76-23
Initials: H.C. D. to 5.77.74

B File

TOP SECRET

This document consists of 14
No. 7-14 Copies, Serials

16 September at a level corresponding to approximately 50 micro-microcuries per square centimeter of fall-out activity. Figure 2 is a copy of the Kodiak record. Water collections made at Kodiak during the period of fall-out were received at NRL on 20 September and were found to contain a correspondingly high level of radioactivity.

The fall-out activity at Kodiak produced a maximum increase of about 20 percent in the response of the gamma ray ground counter. Similar ground counters were used in the Fitzwilliam experiment and records of the percentage increase in gamma response with fall-out after tests X, Y, and Z are contained in NRL Report N-3348. At several stations within a range of 1000 miles, the fall-out was comparable to that registered in the recent event at Kodiak.

Water Collections of Fission Activities


After the Sandstone Tests, A-bomb fission fragments scavenged from the atmosphere were extracted from rain water collections at several distant locations. These products were isolated chemically and identified by energy and half-life determinations. The great sensitivity of the rain barrel method of surveillance was thereby established experimentally and procedures were developed for operating field collection stations. Detailed results and procedures are given in NRL reports CN 3378 and CN3514.

TOP SECRET

Page 12 of 14 Pages
Copy 12 of 14 Copies

~~TOP SECRET~~

GAMMA RAY GROUND STATION RECORD MADE AT
KODIAK, ALASKA



DATE

Page 2 of 12 Pages
Copy 2 of 14 Copies

R File

~~TOP SECRET~~

DECLASSIFIED

E.O. 11652, Sec. 3(E) and 3(D) or (H)

~~TOP SECRET~~

Five months ago rain water collection stations were established at the Naval Research Laboratory, Washington, D.C. and Kodiak, Alaska. Up to 9 September, no evidence of fission product activities was found at these locations. This background experience made it possible to positively prove the fall-out of fission activity which took place 9 September at these stations.

Alerted by the results obtained with the Washington, D.C. ground filter paper collections on 10 September, the NRL collected the next rain fall on a clean roof which had been washed on 9 September. The rain was collected on 13 September and on chemical treatment yielded the fission products, Cerium, Yttrium, Ruthenium, Zirconium and Barium. After these elements were isolated, the residue still contained much unidentified activity. The activities recovered were of sufficient strength to permit ratio determinations of relatively high accuracy.

The Kodiak station alerted by the abnormal response of the γ -ray ground counter, collected rain samples covering the periods 6 September to 12 September and 13 September to 16 September. The following fission product activities were separated from these water samples. Ruthenium 8000 c/m and 6000 c/m; Cerium 3000 c/m and 4000 c/m; Yttrium 12,000 c/m and 25,000 c/m; Silver 700 c/m (counted in 20 percent geometry). These figures are approximate and uncorrected for chemical recovery.

Page 1 of 21 Pages
Copy 1 of 11 Copies

~~TOP SECRET~~

B F

TOP SECRET

TABLE I
W for Analysis
RESULTS WASHINGTON, D.C.
C/M

Collection Dates	Ce	Y	Ru	Pu
25-31 March	13	5	-	-
13 April	6 total Ce + Y		-	-
22 April	Ce + Y	9	-	-
2 May	Ce + Y	3	-	-
11 May	Ce + Y	2	-	-
15 May	Ce + Y	5	-	-
21-22 May	Ce + Y	6	-	-
16-17-18 June	0	0	-	-
15-18 July	0	0	-	-
3 August	0	0	0	-
12-13-15 August	0	0	-	-
28 August	0	0	-	-
13 September	56 Ch.R. 90%/e	685 Ch.R. 93%/e	176 Ch.R. 80%/e	306 Ch.R. 20%/e

16 June new aluminum roof used for collection

- not separated

* approximate

Y fraction contains La

The small counts in the rain collected from March to June were products deposited from the Sandstone test. See Report NRL CN3514.

Ch. R. Chemical Recovery.

TOP SECRET

B File

RESTRICTED DATA

DECLASSIFIED

This document contains restricted data as defined in E.O. 11652, Sec. (f) and (g) or (h) in the Atomic Energy Act of 1946. It is transmitted to the addressee of this communication in accordance with the instructions of the sender.

Page 10 of 12 Pages

Copy 1 of 1 Copies

~~TOP SECRET~~

TABLE II
at Koriak
RESULTS FROM KORJAK
C/M

Collection Dates	Ce	Y	Ru	Pa	Ag
April	0	0	0	-*	-
16 May - 31 May	0	0	0	-	-
3 June - 13 June	0	0	0	-	-
20 June - 10 July	0	0	0	-	-
6 September - 12 September	3934 Ch.R. 84%	12,733 Ch.R. 48%	8,739 Ch.R. 20%	10,000 Ch.R. 5%	700 Ch.R. 71%
13 September - 16 September	4614 Ch.R. 77%	25,400 Ch.R. 81%	5,794 Ch.R. 57%	13,000 Ch.R. 5-10%	40 Ch.R. 1%

* not separated

Material collected in August not yet received.

Counts at approximately 20 percent geometry.

Y fraction contains La

Ch.R. chemical recovery.

DECLASSIFIED
E. O. 11652, Sec. 1(a) and 3(D) or (F)
OSD Staff, April 12, 1974

B File

~~TOP SECRET~~

RESTRICTED DATA

This document contains restricted data as defined
in the Atomic Energy Act of 1946. Its transmittal
or the disclosure of its contents in any manner
to an unauthorized person is prohibited.

Page 11 of 12 Pages
Copy 2 of 14 Copies

B File

~~TOP SECRET~~

No. 7 of 77 Copies, Sec. 4

Subsequent parts of this report will contain detail results of chemical separations and physical measurements. Analysis are being performed on several active water collections and roof scrubblings from Kodiak and Washington and additional samples are being forwarded from outlying areas.

DECLASSIFIED
E.O. 11652, SEC. 1(c) and 1(d) - (b)
1959 Order April 17, 1954
~~TOP SECRET~~

B. F.

Page 42 of 42
Copy 1 of 1

~~TOP SECRET~~